

WYKAZ STALI ZBROJENIOWEJ

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Nr	L [cm]	il. sztuk.	il. elem.	[kg/m]	Φ 6	Φ 8	Φ 8	Φ 10	Φ 12	Φ 16	Φ 20				
GATUNEK STALI					A-0 (StOS)		A-III (34GS)								
Ławy B=1,70 m L=31,60 m + 10% (na zakłady Lz)															
1	3160x1,10	4		0,888					112,5						
2	3160x1,10	4		0,617				78,0							
3	160	130		0,888					184,7						
6	130	130		0,222	37,6										
Ławy B=1,40 m L=39,60 m + 10% (na zakłady Lz)															
1	3960x1,10	4		0,888					154,7						
2	3960x1,10	2		0,617				53,8							
4	130	162		0,617				130,0							
6	130	162		0,222	46,8										
Ławy B=1,10 L=12,30 m +10% (na zakłady Lz)															
1	1230x1,10	4		0,888					48,1						
2	1230x1,10	2		0,617				16,7							
5	100	43		0,617				26,5							
6	130	43		0,222	12,4										
Ławy B=0,80 m L=40,40 m+ 10% (na zakłady Lz)															
1	4040x1,10	4		0,888					157,9						
6	130	170		0,222	49,0										
Ławy B=0,40 m L=10,10 m + 10% (na zakłady Lz)															
1	1010x1,10	4		0,888					39,5						
6	130	44		0,222	12,7										
Wieniec W-1 L=23,30 m + 10% (na zakłady Lz)															
1	2330x1,10	4		0,888					91,0						
2	68	84		0,222	12,7										
Wieniec W-2 L=124,20 m + 10% (na zakłady Lz)															
1	12420x1,10	4		0,888					121,3						
2	68	420		0,222	63,4										
Wieniec W-3 L=46,50 m + 10% (na zakłady Lz)															
1	4650x1,10	4		0,888					45,4						
3	94	160		0,222	33,4										
Podciąg Poz.3.1.x 1 szt.															
1	346	4	1	1,58						21,9					
2	346	4	1	0,888					12,3						
3	2x150	17	1	0,395		20,2									
Podciąg Poz.3.2.x 1 szt.															
1	421	4	1	1,58						26,6					

WYKAZ STALI ZBROJENIOWEJ

2	365	1	1	1,58						5,8				
3	445	1	1	1,58						7,0				
4	196	1	1	1,58						3,1				
5	170	1	1	1,58						2,7				
6	403	4	1	0,888					14,3					
7	2x120	23	1	0,222	12,3									
Podciąg Poz.3.3. x 1 szt.														
1	436	4	1	2,47							43,1			
2	301	1	1	2,47							7,4			
3	362	1	1	2,47							9,0			
4	436	4	1	0,888					15,5					
5	2x150	32	1	0,395		37,9								
Podciąg z daszkiem Poz.3.4. L=14,72 m														
1	490	3x4	1	2,47							145,2			
2	536	1	1	2,47							13,2			
3	490	3x4	1	0,888					52,2					
1'	341	4	1	2,47							33,7			
3'	341	4	1	0,888					12,1					
4	2x150	70	1	0,395		83,0								
a	158	92	1	0,395			57,5							
b	1472x1,10	8	1	0,395			51,2							
c	84+74	2 szt./m						system.						
Podciąg Poz.3.5. x 1 szt.														
1	732	4	1	1,58						46,3				
2	243	1	1	1,58						3,8				
3	732	4	1	0,888					26,0					
4	2x130	40	1	0,395		41,1								
Podciąg Poz.3.6. x 1 szt.														
1	456	4	1	2,47							45,1			
2	456	4	1	0,888					16,2					
3	2x126	34	1	0,222	19,0									
Podciąg z daszkiem Poz.3.7 L=10,25+8,00 m														
1	1060	4	1	1,58						67,0				
2	1130	4	1	0,888					40,2					
3	2x126	117	1	0,222	65,5									
4	850	4	1	1,58						53,7				
5	850	4	1	0,888					30,2					
rozd.	1850	1	1	0,888					16,4					
a	143	142		0,395			80,2							

WYKAZ STALI ZBROJENIOWEJ

b	1825x1,10	7		0,395			55,5							
c	84+74	2 szt./m					system.							
Wylewki stropowe Poz.4.1. A=25,0 m2														
1	150	136		0,395			80,6							
2	1990x1,10	6		0,395			51,9							
Płyta stropowa Poz.4.2. x 1 szt.														
1	536	20	1	0,888				95,2						
2	475	6	1	0,888				25,3						
3	258	2	1	0,888				4,6						
4	346	20	1	0,888				61,5						
5	220	3	1	0,888				5,9						
Poz.5. Słupy 25x25 cm L=1x4,10+2x3,50+2x3,11 m														
1	410+350x2 +311x2	4		0,888				61,5						
2	94	140		0,222	29,2									
piloty słupów	210	2	3	0,888				11,2						
Schody Poz.6.														
1	491	11	1	0,617				33,3						
2	230	11	1	0,617				15,6						
3	557	11	1	0,617				37,8						
4	156	11	1	0,617				10,6						
5	135	32	1	0,617				26,7						
6	320	12	1	0,617				23,6						
7	320	8	1	0,888				22,7						
8	102	23	1	0,222	5,2									
9	2x124	23	1	0,222	12,7									
10	266	10	1	0,617				16,4						
11	150	4	1	0,617				3,7						
Razem wg średnic				kg	411,9	182,2	376,9	472,7	1478,4	237,9	296,7			
Razem wg gatunków				kg	594,1		2862,6							
Ogółem				kg	3456,7									